Glenmarc Industries Inc. 2001 S. Blue Island Ave Chicago IL 60608

312-243-0800 fax 312-243-4670 email: info@glenmarc .com www.glenmarc.com

Material Safety Data Sheet

Date 03/01/2008	
SECTION 1	
MANUFACTURER: Glenmarc Industries Inc. 2001 S. Blue Island Ave. Chicago IL 60608	Emergency Phone: 800-255-3924 Chemtel Non-emergency Phone: 800-323-5350
PRODUCT NAME: GER3000B	HAZARD RATINGS: Fire: 1 Health: 2 Reactivity: 0
CHEMICAL NAME: Bisephenol A/Epichlorohydrin B CHEMICAL FAMILY: Epoxy Resin	
SECTION 2 Ingredients	>99% CAS# 25068-38-6 <1%
This product is an epoxy resin produced by the condens Bisephenol A. These raw materials are consumed in the Epichlorohydrin are controlled to 1 PPM, Max in the produced	e process. Residual levels of
Toxicity Data:	
	D-50 (rat)=> 11.4g/kg (mouse)=>15.6/kg I LD-50 (rbt)=6.5g/kg v of the resin. (See section 7)
SECTION 3 Health Information	
Eye contact: Can cause moderate irritation Skin contact: Moderately irritating to skin. Prolonged or Sensitization.	repeated skin exposure may result in
Inhalation: Because of its low volatility (see section 7) the Ingestion: Based on testing product is considered to have	
SECTION 4 Occupational exposure limits	
None established	
SECTION 5 Emergency and First Aide Procedures	
Eve Contact: Flush with water for 15 minutes while hold	ing evelids open. Contact Physician

Eye Contact: Flush with water for 15 minutes while holding eyelids open. Contact Physician. Skin Contact: Wash with soap and water. Remove contaminated clothing and shoes. Do not Reuse until cleaned. If persistent irritation occurs. Contact Physician.

Inhalation: Remove to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not Breathing. Contact physician.

Ingestion: Do not induce vomiting. In general, no treatment is necessary unless large quantities of product is

ingested. Contact physician.

SECTION 6 Physical data______

Boiling point: >500F Melting point: n/a

Specific Gravity: (water=1) 1.17

Evaporation rate: n/a

Flammable limits/%Volume in Air lower---- Upper_____

Solubility in Water: negligible Vapor pressure: 0.03@77C

Appearance and Odor: Very light yellow, very viscous

SECTION 7 Fire and Explosion Hazards

Flash point and method used: <200F (COC)

Lower flammable limit: n/a Upper flammable limit: n/a Extinguishing Media: CO2, dry chemicals, water fog, foam

Special Fire Fighting Procedures and Precautions: Material will not burn unless preheated. Do not enter confined fire space without proper protective equipment including a NIOSH approved self-contained breathing apparatus. Cool fire-exposed containers with water.

SECTION 8 Reactivity_____

Stability: Stable

Hazardous Polymerization: Will not occur

Conditions and Materials to avoid:

Can react vigorously with strong oxidizing agents and strong Lewis or mineral acids. Avoid amines and bases. In reactions with many curing agents, considerable heat is released.

Hazardous Decomposition Products:

Carbon monoxide, aldehydes and acids may be formed during combustion. Reaction with some curing agents may produce considerable heat.

SECTION 9 Employee Protection

Respiratory protection: Not ordinarily required

Protective clothing:

Wear impervious gloves and protective clothing as required to prevent skin contact. Wear chemical goggles to prevent eye contact.

Additional Preventive Measures:

Ventilation is required for mixing, application, and curing operations to control vapor concentrations, particularly for processes involving heat. Eye wash fountains should be available for emergency use.

SECTION 10 Environmental Protection

Spill or leak procedures:

May burn although not readily ignitable. Use cautious judgment when cleaning up large spills.

Ventilate area. Wear protective clothing, shoes and eye protection.. Shut off sources of leak if safe to do so. Dike and contain. Absorb spill with absorbent material and place in closed container.

Small spills: Take up with an absorbent material and dispose of properly.

Waste disposal: Place in appropriate disposal facility incompliance with local regulations.

For further information: Contact EPA-RCRA Hotline 800-424-9346

Environmental Hazards: _____

SECTION 11 Special Precautions____

Keep container tightly closed. Store in cool, dry place.

Wash with soap and water before eating, drinking, smoking or using toilet facilities. Launder contaminated clothing before reuse.

SECTION 12 Transportation Requirements______

Not Hazardous by D.O.T. regulations

D.O.T. proper shipping name: not regulated Other requirements: none

Handle in accordance with the potential of the curing agent used.

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, vendor assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk to his use of the material.